

---

**Innesti rapidi - Quick action couplings**

**Indice - Index**

<b>Gruppo-Group</b>	<b>Pag.</b>
IRLOT	7.3
FIRG	7.3
IR-C	7.3
IR-S	7.4
IR-V	7.4
HNV	7.4
NV	7.4
NS	7.5
HNV/OT	7.5
IRV/W	7.5



## INNESTI RAPIDI QUICK ACTION COUPLINGS

IRLOT	INNESTO RAPIDO OTTONE PASSAGGIO LIBERO - BRASS COUPLING WITHOUT SHUT-OFF													
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes	
			L	l	B	H	h	m	V	SW	WP	K		
	IRLOT 3/8	3/8"												BSP
	IRLOT 1/2	1/2"												BSP

FIRG	INNESTO RAPIDO FACCIA PIANA - FLAT FACE QUICK RELEASE COUPLING													
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes	
			L	l	B	H	h	m	V	SW	WP	K		
	FIRG 1/4	1/4"										300		BSP
	FIRG 3/8	3/8"										300		BSP
	FIRG 1/2	1/2"										300		BSP
	FIRG 3/4	3/4"										250		BSP
	FIRG 1"	1"										250		BSP


IR-C	INNESTO RAPIDO TENUTA VALVOLA - QUICK RELEASE VALVE TYPE													
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes	
			L	l	B	H	h	m	V	SW	WP	K		
	IR 1/4C	1/4"											350	BSP
	IR 3/8C	3/8"											300	BSP
	IR 1/2C	1/2"											280	BSP
	IR 5/8C	5/8"											280	BSP
	IR 3/4C	3/4"											220	BSP
	IR 1"C	1"											180	BSP
	IR 1.1/4C	1" 1/4											120	BSP
	IR 1.1/2C	1" 1/2											120	BSP
	IR 2"C	2"											100	BSP
	IR 2.1/2C	2" 1/2											100	BSP
	IR 3"C	3"											70	BSP
	IR 14X1,5C	14X1,5											350	BSP
	IR 18X1,5C	18X1,5											300	BSP

## INNESTI RAPIDI QUICK ACTION COUPLINGS

IR-S	INNESTO RAPIDO TENUTA SFERA - QUICK RELEASE BALL TYPE												Note Notes				
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)														
			L	l	B	H	h	m	V	SW	WP	K					
	IR 1/4S	1/4"															BSP
	IR 3/8S	3/8"															BSP
	IR 1/2S	1/2"															BSP
	IR 5/8S	5/8"															BSP
	IR 3/4S	3/4"															BSP
	IR 1"S	1"															BSP

IR-V	INNESTO RAPIDO A VITE - SCREW TYPE COUPLING												Note Notes				
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)														
			L	l	B	H	h	m	V	SW	WP	K					
	IRV 1/4	1/4"											450				BSP
	IRV 3/8	3/8"											400				BSP
	IRV 1/2	1/2"											320				BSP
	IRV 3/4	3/4"											270				BSP
	IRV 1"	1"											220				BSP
	IRV 1.1/4	1" 1/4											150				BSP
	IRV 1.1/2	1" 1/2											150				BSP
	IRV 2"	2"											120				BSP
	IRV 2.1/2"	2" 1/2											120				BSP
	IRV 3"	3"															BSP

HNV	INNESTO RAPIDO TIPO H - QUICK RELEASE COUPLING H TYPE												Note Notes				
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)														
			L	l	B	H	h	m	V	SW	WP	K					
	HNV 1/8G	1/8"											400				BSP
	HNV 1/4G	1/4"											350				BSP
	HNV 3/8G	3/8"											300				BSP
	HNV 1/2G	1/2"											300				BSP
	HNV 3/4G	3/4"											250				BSP
	HNV 1"G	1"											230				BSP

NV	INNESTO RAPIDO A VALVOLA NV - QUICK RELEASE VALVE TYPE NV												Note Notes				
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)														
			L	l	B	H	h	m	V	SW	WP	K					
	NV 1/4G	1/4"											350				BSP
	NV 3/8G	3/8"											300				BSP
	NV 1/2G	1/2"											300				BSP
	NV 3/4G	3/4"											250				BSP
	NV 1"G	1"											230				BSP
	NV 1.1/4G	1" 1/4											220				BSP
	NV 1.1/2G	1" 1/2											180				BSP
	NV 2"G	2"											130				BSP
	NV 1/2N	1/2"											300				NPT
	NV 3/4U	3/4"											300				UNF
	NV 7/8U	7/8"											300				UNF

## INNESTI RAPIDI QUICK ACTION COUPLINGS

NS	INNESTO RAPIDO A SFERA NS - QUICK RELEASE BALL TYPE NS												Note Notes	
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	NS 1/4G	1/4"											350	BSP
	NS 3/8G	3/8"											300	BSP
	NS 1/2G	1/2"											300	BSP
	NS 3/4G	3/4"											250	BSP
	NS 1"G	1"											230	BSP
	NS 1.1/4G	1" 1/4											220	BSP
	NS 1.1/2G	1" 1/2											180	BSP
	NS 2"G	2"											130	BSP

HNV/OT	INNESTO RAPIDO HNV / OT58 - QUICK RELEASE COUPLING H TYPE / BRASS												Note Notes	
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	HNV/OT 1/8G	1/8"											200	BSP
	HNV/OT 1/4G	1/4"											175	BSP
	HNV/OT 3/8G	3/8"											140	BSP
	HNV/OT 1/2G	1/2"											160	BSP
	HNV/OT 3/4G	3/4"											100	BSP
	HNV/OT 1"G	1"											140	BSP

IRV/W	INNESTO RAPIDO A VITE CON ALI DI PRESA - SCREW TYPE COUPLING WITH WINGS												Note Notes	
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	IRV/W 3/4	3/4"												BSP
	IRV/W 1"	1"												BSP