

FF FLEXTUBO

Indice - Index**Gruppo-Group Pag.**

080 - 120 4.7

081 - 121 4.7

125 4.7

128 4.8

157 4.8

BK3 4.5

BK3 TV 4.6

BKHP 4.6

BKHR 4.5

BKHR /CF 4.6

BKHR TV 4.5

MKHR 4.5


MP3 4.9


MP4 4.9


MP6 4.9

FF FLEXTUBO


RUBINETTI E VALVOLE - VALVES

BKHR	RUBINETTI A SFERA ALTA PRESSIONE - HIGH PRESSURE 2-WAY BALL VALVES												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	BKHR 1/8	1/8"	69	40	26	47	33	13,5	11	9	500	115	BSP
	BKHR 1/4	1/4"	69	40	26	47	33	13,5	11	9	500	115	BSP
	BKHR 3/8	3/8"	72	43	32	52	38	17,5	11	9	500	115	BSP
	BKHR 1/2	1/2"	83	48	35	54	40	19	11	9	500	115	BSP
	BKHR 3/4	3/4"	95	62	49	75	57	24,5	14	14	315	200	BSP
	BKHR 1"	1"	113	66	58	83	65	29,5	14	14	315	200	BSP
	BKHR 1.1/4	1" 1/4	120	66	58	83	65	29,5	14	14	315	200	BSP
	BKHR 1.1/2	1" 1/2											

MKHR	RUBINETTI ALTA PRESSIONE - HIGH-PRESSURE 2-WAY BALL VALVES												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	MKHR 1.1/4	1" 1/4	111	95	81	107	86	40,5	16,5	17	350	320	BSP
	MKHR 1.1/2	1" 1/2	130	107,5	100	124	103	50	16,5	17	350	320	BSP
	MKHR 2"	2"	140	120	118	138	117	59	16,5	17	350	320	BSP


BK3	RUBINETTO ALTA PRESSIONE 3 VIE - 3-WAY SELECTOR BALL VALVES												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	BK3 1/8	1/8"	69	40	26	47	33	13,5	11	9	315	34,5	BSP
	BK3 1/4	1/4"	69	40	26	47	33	13,5	11	9	315	34,5	BSP
	BK3 3/8	3/8"	72	43	32	52	38	17,5	11	9	315	36	BSP
	BK3 1/2	1/2"	83	48	35	54	40	19	11	9	315	41,5	BSP
	BK3 3/4	3/4"	95	62	49	75	57	24,5	14	14	315	47,5	BSP
	BK3 1"	1"	113	66	58	83	65	29,5	14	14	315	56,5	BSP
	BK3 1.1/4	1" 1/4	120	66	58	83	65	29,5	14	14	315	60	BSP

Disponibile versione "L" e "T" - Form of port : "L" e "T"

BKHR TV	RUBINETTI A SFERA ALTA PRESSIONE - HIGH PRESSURE 2-WAY BALL VALVES												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	BKHR 1/8TV	1/8"	69	40	26	47	33	13,5	11	9	500	115	BSP
	BKHR 1/4TV	1/4"	69	40	26	47	33	13,5	11	9	500	115	BSP
	BKHR 3/8TV	3/8"	72	43	32	52	38	17,5	11	9	500	115	BSP
	BKHR 1/2TV	1/2"	83	48	35	54	40	19	11	9	500	115	BSP
	BKHR 3/4TV	3/4"	95	62	49	75	57	24,5	14	14	315	200	BSP
	BKHR 1"TV	1"	113	66	58	83	65	29,5	14	14	315	200	BSP
	BKHR 1.1/4TV	1" 1/4	120	66	58	83	65	29,5	14	14	315	200	BSP
	BKHR 1.1/2TV	1" 1/2											


Guarnizioni in Teflon e Viton


RUBINETTI E VALVOLE - VALVES

BK3 TV	RUBINETTO ALTA PRESSIONE 3 VIE - 3-WAY SELECTOR BALL VALVES												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	BK3 1/8TV	1/8"	69	40	26	47	33	13,5	11	9	315	34,5	BSP
	BK3 1/4TV	1/4"	69	40	26	47	33	13,5	11	9	315	34,5	BSP
	BK3 3/8TV	3/8"	72	43	32	52	38	17,5	11	9	315	36	BSP
	BK3 1/2TV	1/2"	83	48	35	54	40	19	11	9	315	41,5	BSP
	BK3 3/4TV	3/4"	95	62	49	75	57	24,5	14	14	315	47,5	BSP
	BK3 1"TV	1"	113	66	58	83	65	29,5	14	14	315	56,5	BSP
	BK3 1.1/4TV	1" 1/4	120	66	58	83	65	29,5	14	14	315	60	BSP
	BK3 1.1/2TV	1" 1/2											

Disponibile versione "L" e "T" - Form of port : "L" e "T"

Guarnizioni in Teflon e Viton

BKHR /CF	RUBINETTI A SFERA ALTA PRESSIONE CON FORI - HIGH PRESSURE 2-WAY BALL VALVES												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	BKHR/CF 1/8	1/8"	69	40	26	47	33	13,5	11	9	500	115	F=
	BKHR/CF 1/4	1/4"	69	40	26	47	33	13,5	11	9	500	115	F=
	BKHR/CF 3/8	3/8"	72	43	32	52	38	17,5	11	9	500	115	F=
	BKHR/CF 1/2	1/2"	83	48	35	54	40	19	11	9	500	115	F=
	BKHR/CF 3/4	3/4"	95	62	49	75	57	24,5	14	14	315	200	F=
	BKHR/CF 1"	1"	113	66	58	83	65	29,5	14	14	315	200	F=
	BKHR/CF 1.1/4	1" 1/4	120	66	58	83	65	29,5	14	14	315	200	F=

BKHP	RUBINETTI ALTISSIMA PRESSIONE - HIGHEST-PRESSURE 2-WAY BALL VALVES												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	BKHP 1/4	1/4"	130	76	50	64	25	11	9	800			NPT
	BKHP 3/8	3/8"	130	76	50	64	25	11	9	800			NPT
	BKHP 1/2	1/2"	130	76	50	64	25	11	9	800			NPT
	BKHP 3/4	3/4"	161	111	90	108	45	14	14	800			NPT
	BKHP 1"	1"	164	111	90	108	45	14	14	800			NPT


080 - 120	VALVOLA SFERA PASSAGGIO TOTALE FEMMINA FEMMINA - FULL FLOW BALL VALVE F/F												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	080 1/4	1/4"	51	25,5	40	80	10	25,5	25,5	18	50		
	080 3/8	3/8"	60	25,5	40	80	10	29,7	29,7	21	50		
	080 1/2	1/2"	75	32,5	50	89	15	37,5	37,5	25	50		
	080 3/4	3/4"	80	42	59	113	20	40	40	31	40		
	080 1"	1"	90	49,5	63	113	25	45,2	45,2	38	40		
	080 1.1/4	1" 1/4	110	59,5	77	138	32	55	55	48	30		
	080 1.1/2	1" 1/2	120	72	91	158	40	60	60	54	30		
	080 2"	2"	140	66	97	158	50	70,2	70,2	67	25		
	120 2.1/2	2" 1/2	147	122	122	247	65				18		
	120 3"	3"	168	142	134	247	80				16		
	120 4"	4"	202	180	151	247	100				14		

MATERIALE OT/58 + TENUTA TEFLON


081 - 121	RUBINETTO SFERA PASSAGGIO TOTALE MASCHIO FEMMINA - FULL FLOW BALL VALVE M/F												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	081 1/4	1/4"	58	25,5	40	80	10	28,7	28,7	18	50		
	081 3/8	3/8"	63	25,5	40	80	10	31,5	31,5	21	50		
	081 1/2	1/2"	77	32,5	50	89	15	38,5	38,5	25	50		
	081 3/4	3/4"	84	42	59	113	20	42	42	31	40		
	081 1"	1"	92	49,5	63	113	25	46	46	38	40		
	081 1.1/4	1" 1/4	110	59,5	77	138	32	55	55	48	30		
	081 1.1/2	1" 1/2	121	72	91	158	40	60,5	60,5	54	30		
	081 2"	2"	141	86	97	158	50	70,5	70,5	67	25		
	121 2.1/2	2" 1/2	156	122	122	247	65				18		

125	RUBINETTO A SFERA MINI FEMMINA FEMMINA - MINI BALL VALVE												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	125 1/4	1/4"	39	21	9	38	8	22			15		
	125 3/8	3/8"	41	21	10	38	8	22			15		
	125 1/2	1/2"	48	25	12	42	10	22			15		
	125 3/4	3/4"	54	30	15	47	14	22			15		

RUBINETTI E VALVOLE - VALVES

157	SARACINESCA OTTONE STAMPATO MODELLO PESANTE - HOT PRESSED BRASS GATE VALVE												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	157 3/8	3/8"	33	67	45	13	8					10	
	157 1/2	1/2"	43	68	45	15	10					10	
	157 3/4	3/4"	47	78	50	19	11					10	
	157 1"	1"	53	93	55	24	13					10	
	157 1.1/4	1" 1/4	57	108	60	32	14					10	
	157 1.1/2	1" 1/2	61	125	70	37	14					10	
	157 2"	2"	67	143	80	47	16					10	
	157 2.1/2	2" 1/2	74	175	100	60	17					10	
	157 3"	3"	86	205	100	72	19					10	
	157 4"	4"	98	235	120	93	22					10	

MATERIALE OT/58

128	RUBINETTO A SFERA A 3 VIE - 3-WAYS BALL VALVE												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	128 1/4	1/4"	77	85	125	19	10	58		22	25		
	128 3/8	3/8"	77	85	125	19	12	58		22	25		
	128 1/2	1/2"	77	85	125	19	14	58		27	25		
	128 3/4	3/4"	92	107	145	23	18	70		34	25		
	128 1"	1"	104	124	170	25	23	80		41	25		
	128 1.1/4	1" 1/4	118	134	170	27	29	92		50	25		
	128 1.1/2	1" 1/2	138	145	170	31	36	109		57	25		
	128 2"	2"	162	186	260	36	45	128		70	25		

MATERIALE OT/58 + TENUTA TEFLON

Disponibile versione "L" e "T"

RUBINETTI E VALVOLE - VALVES

MP3	DISTRIBUTORE ROTANTE A 3 VIE - 3 WAYS DIVERTER FLOW												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	MP3 3/8	3/8"	24	73	8,5	31	42	21	62	60	300	36	BSP
	MP3 1/2	1/2"	30	85	11	36	53	24	70	90	250	43	BSP
	MP3 3/4	3/4"	32	91	11	41	54	28	80	120	220	47	BSP
	MP3 1"	1"	32	98	11	50	64	31,5	90	180	220	51	BSP
	MP3 1.1/2	1" 1/2	41	130	11	62	80	44	115	280	200	64	BSP

MP4	DISTRIBUTORE ROTANTE A 4 VIE - 4 WAYS DIVERTER FLOW												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	MP4 3/8	3/8"	54	77	8,5	27	38,5	24	71	35	250	36	BSP
	MP4 1/2	1/2"	68	90	8,5	32	45	28	80	50	250	43	BSP
	MP4 3/4	3/4"	74	95	8,5	38	47,5	32	90	90	220	47	BSP


MP6	DISTRIBUTORE ROTANTE A 6 VIE 3 POSIZIONI - 6 WAYS DIVERTER FLOW												Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	MP6 3/8	3/8"	36	42	73	110	21	124		40	315		BSP
	MP6 1/2	1/2"	43	53	85	120	24	140		70	280		BSP
	MP6 3/4	3/4"	47	54	91	125	28	160		120	250		BSP
	MP6 1"	1"	51	64	98	130	31,5	180		180	250		BSP

Indice - Index


Gruppo-Group	Pag.
100	4.13
GGD	4.13
GG90	4.13
GG90	4.13
VRB	4.14
VRB/D	4.14
VRD1	4.15
VRD2	4.15
VP	4.15
VNP	4.16
VNR	4.16
VNR3	4.16
VNR5	4.16


FF FLEXTUBO

GIUNTI E VALVOLE COUPLINGS AND VALVES


100	VALVOLA DI RITEGNO IN OT/58 - CHECK VALVE OT/58												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	100 3/8	3/8"	54	34,5								25	
	100 1/2	1/2"	57	34,5								25	
	100 3/4	3/4"	64	41,5								25	
	100 1"	1"	75	48								25	
	100 1.1/4	1" 1/4	82	60,5								18	
	100 1.1/2	1" 1/2	93	71								18	
	100 2"	2"	100	87								18	
	100 2.1/2	2" 1/2	120	120								12	


MATERIALE OT/58

GGD	GIUNTI GIREVOLI IN LINEA - LINE ROTATING COUPLING												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	GGD 1/4	1/4"	61	33	11	6,5	19	30	200	400			
	GGD 3/8	3/8"	66	37	14	9	24	34	200	400			
	GGD 1/2	1/2"	70	42	15	12	27	36	150	300			
	GGD 3/4	3/4"	79	50	19	16	34	45	150	300			
	GGD 1"	1"	90	55	21	20	41	50	100	300			
	GGD 1.1/4	1" 1/4	101	60	24	28	50	55	100	300			
	GGD 1.1/2	1" 1/2	110	70	25	34	55	75	80	300			
	GGD 2"	2"	110	85	27	44	66	90	50	250			


GG90	GIUNTI GIREVOLI 90° - 90° ELBOW ROTATING COUPLING												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	GG90 1/4	1/4"	69	30,5	11	6,5	19	58		200	400		
	GG90 3/8	3/8"	78	41,5	14	9	24	63		200	400		
	GG90 1/2	1/2"	86	44	15	12	27	68,5		150	300		
	GG90 3/4	3/4"	99	58	19	16	34	79		150	300		
	GG90 1"	1"	113	60	21	20	41	90		100	300		

GIUNTI E VALVOLE COUPLINGS AND VALVES

GG90	GIUNTI GIREVOLI 90° - 90° ELBOW ROTATING COUPLING													Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	GG90 1.1/4	1" 1/4	31,5	92	31,5	24	28	50	56,5	100	300			
	GG90 1.1/2	1" 1/2	38	104	38	25	34	55	62	80	300			
	GG90 2"	2"	42	111	45	27	44	65	67	50	250			


VRB	VALVOLA REGOLATRICE DI FLUSSO - FLOW REGULATOR WITH CHECK VALVE													Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	VRB 1/4	1/4"	68	40	32	6		0,5		12	350			
	VRB 3/8	3/8"	77	40	36	6		0,5		22	350			
	VRB 1/2	1/2"	84	48	41	6,5		0,5		40	350			
	VRB 3/4	3/4"	103	52	48	8		0,5		60	300			
	VRB 1"	1"	119	66	60	11		0,5		90	300			
	VRB 1.1/4	1" 1/4	139	82	70	14		0,5		140	250			
	VRB 1.1/2	1" 1/2	155	93	80	15		0,5		210	250			

THIS VALVE IS USED TO ADJUST FLOW SPEED IN ONE DIRECTION. OPPOSITE DIRECTION FLOW IS FREE.


VRB/D	VALVOLA REGOLATRICE DI FLUSSO BIDIREZIONALE - FLOW REGULATOR													Note Notes
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)											
			L	l	B	H	h	m	V	SW	WP	K		
	VRB/D 1/4	1/4"	68	40	32	6				15	350			
	VRB/D 3/8	3/8"	77	40	36	6				30	350			
	VRB/D 1/2	1/2"	84	48	41	6,5				45	350			
	VRB/D 3/4	3/4"	103	52	48	8				80	300			
	VRB/D 1"	1"	119	66	60	11				150	300			

THIS VALVE IS USED TO ADJUST FLOW SPEED IN BOTH DIRECTION. PRESSURE FLOW GOES INTO A_VALVE PORT AND GOES OUT FROM B VALVE PORT;
IN OPPOSITE WAY OBTAINS THE SAME ;
TO ADJUST THE FLOW , TURN THE EXTERNAL SLEEVE;

GIUNTI E VALVOLE COUPLINGS AND VALVES


VRD1	VALVOLA DI RITEGNO SINGOLO EFFETTO - SINGLE PILOT OPERATED CHECK VALVE												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	VRD1 1/4	1/4"	110	70		30	5,5	9	45	15	320		
	VRD1 3/8	3/8"	117	70		30	7	9	45	35	320		
	VRD1 1/2	1/2"	158	90		40		15	60	45	300		
	VRD1 3/4	3/4"	186	100		60		15	70	70	250		

VRD2	VALVOLA DI RITEGNO DOPPIO EFFETTO - DOUBLE PILOT OPERATED CHECK VALVE												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	VRD2 1/4	1/4"	118	70		30	5,5	9	45	15	320		
	VRD2 3/8	3/8"	128	70		30	7	9	45	35	320		
	VRD2 1/2	1/2"	170	90		40		15	60	45	300		
	VRD2 3/4	3/4"	198	100		60		15	70	70	250		


VP	VALVOLA DI RITEGNO AUTOMATICA (PARACADUTE) - CARTRIDGE HOSE BURST VALVE												
	Cod. Art. Code	Filetto Thread	Dimensioni (mm) Dimensions (mm)										Note Notes
			L	l	B	H	h	m	V	SW	WP	K	
	VP 1/4	1/4"	16	1	7	4,5				25	350		
	VP 3/8	3/8"	20	1,5	9,5	5				45	350		
	VP 1/2	1/2"	24	1,5	11,5	6,5				70	350		
	VP 3/4	3/4"	28	2,5	15,5	6,5				140	350		
	VP 1"	1"	33	1,5	18,5	8,5				180	350		

GIUNTI E VALVOLE COUPLINGS AND VALVES

VNP	Cod. Art. Code	Filetto Thread	VALVOLA DI RITEGNO - CHECK VALVE										Note Notes
			Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	VNP 1/4	1/4"										425	
	VNP 3/8	3/8"										300	
	VNP 1/2	1/2"										300	
	VNP 3/4	3/4"										250	
	VNP 1"	1"										245	
	VNP 1.1/4	1" 1/4										225	
	VNP 1.1/2	1" 1/2										200	
	VNP 2"	2"										130	

VNR	Cod. Art. Code	Filetto Thread	VALVOLA NON RITORNO - CHECK VALVE										Note Notes
			Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	VNR 1/4	1/4"	60	19							15	350	25
	VNR 3/8	3/8"	70	24							30	350	25
	VNR 1/2	1/2"	78	30							50	350	25
	VNR 3/4	3/4"	90	36							90	300	25
	VNR 1"	1"	106	45							140	250	25
	VNR 1.1/4	1" 1/4	123	55							200	250	25
	VNR 1.1/2	1" 1/2	138	65							300	230	25

VNR3	Cod. Art. Code	Filetto Thread	VALVOLA DI NON RITORNO TARATA 3 BAR - 3 BARS - CHECK VALVE										Note Notes
			Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	VNR3 1/4	1/4"										425	
	VNR3 3/8	3/8"										300	
	VNR3 1/2	1/2"										300	
	VNR3 3/4	3/4"										250	
	VNR3 1"	1"										245	
	VNR3 1.1/4	1" 1/4										225	
	VNR3 1.1/2	1" 1/2										200	
	VNR3 2"	2"										130	

VNR5	Cod. Art. Code	Filetto Thread	VALVOLA DI NON RITORNO TARATA 5 BAR 5 BARS - CHECK VALVE										Note Notes
			Dimensioni (mm) Dimensions (mm)										
			L	l	B	H	h	m	V	SW	WP	K	
	VNR5 1/4	1/4"										425	
	VNR5 3/8	3/8"										300	
	VNR5 1/2	1/2"										300	
	VNR5 3/4	3/4"										250	
	VNR5 1"	1"										245	
	VNR5 1.1/4	1" 1/4										225	
	VNR5 1.1/2	1" 1/2										200	
	VNR5 2"	2"										130	